

Package: biwavelet (via r-universe)

November 6, 2024

Type Package

Title Conduct Univariate and Bivariate Wavelet Analyses

Version 0.20.22

Date 2024-08-08

Author Tarik Gouhier, Aslak Grinsted, Viliam Simko

Maintainer Tarik Gouhier <tarik.gouhier@gmail.com>

Description This is a port of the WTC MATLAB package written by Aslak Grinsted and the wavelet program written by Christopher Torrence and Gibert P. Compo. This package can be used to perform univariate and bivariate (cross-wavelet, wavelet coherence, wavelet clustering) analyses.

License GPL (>=2)

Encoding UTF-8

URL <https://github.com/tgouhier/biwavelet>

BugReports <https://github.com/tgouhier/biwavelet/issues>

LazyData yes

LinkingTo Rcpp

Imports fields, foreach, methods, Rcpp (>= 0.12.2)

Suggests testthat, knitr, rmarkdown, devtools

RoxygenNote 7.3.2

Repository <https://tgouhier.r-universe.dev>

RemoteUrl <https://github.com/tgouhier/biwavelet>

RemoteRef HEAD

RemoteSha e716dda7dad029f3ec36f413f871a0988b06115a

Contents

biwavelet-package	2
ar1.spectrum	5
ar1_ma0_sim	6
arrow	6
arrow2	7
check.data	7
check.datum	8
convolve2D	9
convolve2D_typeopen	10
enviro.data	10
get_minroots	11
MOTHERS	12
phase.plot	12
plot.biwavelet	13
pwtc	17
rpp_row_quantile	20
rpp_wt_bases_dog	20
rpp_wt_bases_morlet	21
rpp_wt_bases_paul	22
smooth.wavelet	23
wclust	24
wdist	25
wt	26
wt.bases	28
wt.bases.dog	29
wt.bases.morlet	29
wt.bases.paul	30
wt.sig	31
wtc	32
wtc.sig	34
wtc_sig_parallel	36
xwt	37
Index	40

 biwavelet-package

Conduct Univariate and Bivariate Wavelet Analyses

Description

This is a port of the WTC MATLAB package written by Aslak Grinsted and the wavelet program written by Christopher Torrence and Gibert P. Compo. This package can be used to perform univariate and bivariate (cross-wavelet, wavelet coherence, wavelet clustering) wavelet analyses.

Details

As of biwavelet version 0.14, the bias-corrected wavelet and cross-wavelet spectra are automatically computed and plotted by default using the methods described by Liu et al. (2007) and Veleda et al. (2012). This correction is needed because the traditional approach for computing the power spectrum (e.g., Torrence and Compo 1998) leads to an artificial and systematic reduction in power at lower periods.

Author(s)

Tarik C. Gouhier

Maintainer: Tarik C. Gouhier <tarik.gouhier@gmail.com>

Code based on WTC MATLAB package written by Aslak Grinsted and the wavelet MATLAB program written by Christopher Torrence and Gibert P. Compo.

References

Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.

Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.

Liu, Y., X. San Liang, and R. H. Weisberg. 2007. Rectification of the Bias in the Wavelet Power Spectrum. *Journal of Atmospheric and Oceanic Technology* 24:2093-2102.

Rouyer, T., J. M. Fromentin, F. Menard, B. Cazelles, K. Briand, R. Pianet, B. Planque, and N. C. Stenseth. 2008. Complex interplays among population dynamics, environmental forcing, and exploitation in fisheries. *Proceedings of the National Academy of Sciences* 105:5420-5425.

Rouyer, T., J. M. Fromentin, N. C. Stenseth, and B. Cazelles. 2008. Analysing multiple time series and extending significance testing in wavelet analysis. *Marine Ecology Progress Series* 359:11-23.

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Veleda, D., R. Montagne, and M. Araujo. 2012. Cross-Wavelet Bias Corrected by Normalizing Scales. *Journal of Atmospheric and Oceanic Technology* 29:1401-1408.

Examples

```
# As of biwavelet version 0.14, the bias-corrected wavelet and cross-wavelet spectra
# are automatically computed and plotted by default using the methods
# described by Liu et al. (2007) and Veleda et al. (2012). This correction
# is needed because the traditional approach for computing the power spectrum
# (e.g., Torrence and Compo 1998) leads to an artificial and systematic reduction
# in power at low periods.
```

```
# EXAMPLE OF BIAS CORRECTION:
```

```
require(biwavelet)
```

```
# Generate a synthetic time series 's' with the same power at three distinct periods
```

```
t1=sin(seq(from=0, to=2*5*pi, length=1000))
```

```

t2=sin(seq(from=0, to=2*15*pi, length=1000))
t3=sin(seq(from=0, to=2*40*pi, length=1000))
s=t1+t2+t3

# Compare non-corrected vs. corrected wavelet spectrum
wt1=wt(cbind(1:1000, s))
par(mfrow=c(1,2))
plot(wt1, type="power.corr.norm", main="Bias-corrected")
plot(wt1, type="power.norm", main="Not-corrected")

# ADDITIONAL EXAMPLES
t1 <- cbind(1:100, rnorm(100))
t2 <- cbind(1:100, rnorm(100))

# Continuous wavelet transform
wt.t1 <- wt(t1)

# Plot power
# Make room to the right for the color bar
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(wt.t1, plot.cb=TRUE, plot.phase=FALSE)

# Compute cross-wavelet
xwt.t1t2 <- xwt(t1, t2)

# Plot cross wavelet power and phase difference (arrows)
plot(xwt.t1t2, plot.cb=TRUE)

# Wavelet coherence; nrandns should be large (>= 1000)
wtc.t1t2=wtc(t1, t2, nrandns=10)
# Plot wavelet coherence and phase difference (arrows)
# Make room to the right for the color bar
par(oma=c(0, 0, 0, 1), mar=c(5, 4, 4, 5) + 0.1)
plot(wtc.t1t2, plot.cb=TRUE)

# Perform wavelet clustering of three time series
t1=cbind(1:100, sin(seq(from=0, to=10*2*pi, length.out=100)))
t2=cbind(1:100, sin(seq(from=0, to=10*2*pi, length.out=100)+0.1*pi))
t3=cbind(1:100, rnorm(100))

# Compute wavelet spectra
wt.t1=wt(t1)
wt.t2=wt(t2)
wt.t3=wt(t3)

# Store all wavelet spectra into array
w.arr=array(NA, dim=c(3, NROW(wt.t1$wave), NCOL(wt.t1$wave)))
w.arr[1, , ]=wt.t1$wave
w.arr[2, , ]=wt.t2$wave
w.arr[3, , ]=wt.t3$wave

# Compute dissimilarity and distance matrices
w.arr.dis <- wclust(w.arr)

```

```
plot(hclust(w.arr.dis$dist.mat, method = "ward.D"), sub = "", main = "",  
      ylab = "Dissimilarity", hang = -1)
```

ar1.spectrum *Power spectrum of a random red noise process*

Description

Generate the power spectrum of a random time series with a specific AR(1) coefficient.

Usage

```
ar1.spectrum(ar1, periods)
```

Arguments

ar1	First order coefficient desired.
periods	Periods of the time series at which the spectrum should be computed.

Value

Returns the power spectrum as a vector of real numbers.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com) Code based on WTC MATLAB package written by Aslak Grinsted.

References

Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.

Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Examples

```
p <- ar1.spectrum(0.5, 1:25)
```

<code>ar1_ma0_sim</code>	<i>Slightly faster arima.sim implementation which assumes AR(1) and ma=0.</i>
--------------------------	---

Description

Slightly faster [arima.sim](#) implementation which assumes AR(1) and ma=0.

Usage

```
ar1_ma0_sim(minroots, ar, n)
```

Arguments

<code>minroots</code>	Output from get_minroots function.
<code>ar</code>	The 'ar' part of AR(1)
<code>n</code>	Length of output series, before un-differencing. A strictly positive integer.

See Also

[arima.sim](#)

<code>arrow</code>	<i>Helper function for phase.plot (not exported)</i>
--------------------	--

Description

Helper function for [phase.plot](#) (not exported)

Usage

```
arrow(x, y, l = 0.1, w = 0.3 * l, alpha, col = "black")
```

Arguments

<code>x</code>	X-coordinate of the arrow.
<code>y</code>	Y-coordinate of the arrow.
<code>l</code>	Length of the arrow.
<code>w</code>	Width of the arrow.
<code>alpha</code>	Angle of the arrow in radians (0 .. 2*pi).
<code>col</code>	Color of the arrow.

Examples

```
plot.new()
arrow(0,0, alpha = 0)
```

arrow2	<i>This is an alternative helper function that plots arrows. It uses <code>text()</code> to print a character using a default font. This way, it is possible to render different types of arrows.</i>
--------	---

Description

This is an alternative helper function that plots arrows. It uses `text()` to print a character using a default font. This way, it is possible to render different types of arrows.

Usage

```
arrow2(x, y, angle, size = 0.1, col = "black", chr = intToUtf8(10139))
```

Arguments

x	X-coordinate of the arrow.
y	Y-coordinate of the arrow.
angle	Angle in radians.
size	Similar to <code>arrow.len</code> parameter. Notice that we don't need the <code>arrow.lwd</code> anymore
col	Color of the arrow.
chr	Character representing the arrow. You should provide the character as escaped UTF-8.

Author(s)

Viliam Simko

Examples

```
# Not run: arrow2(x[j], y[i], angle = phases[i, j],  
# Not run:      col = arrow.col, size = arrow.len)
```

check.data	<i>Check the format of time series</i>
------------	--

Description

Check the format of time series

Usage

```
check.data(y, x1 = NULL, x2 = NULL)
```

Arguments

y	Time series y in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
x1	Time series x1 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
x2	Time series x2 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.

Value

Returns a named list containing:

t	Time steps
dt	Size of a time step
n.obs	Number of observations

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

References

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Examples

```
t1 <- cbind(1:100, rnorm(100))
check.data(y = t1)
```

check.datum *Helper function*

Description

Helper function

Usage

```
check.datum(x)
```

Arguments

x	matrix
---	--------

Value

list(t, dt, n.obs)

Note

This function is not exported

convolve2D

Fast column-wise convolution of a matrix

Description

Use the Fast Fourier Transform to perform convolutions between a sequence and each column of a matrix.

Usage

```
convolve2D(x, y, conj = TRUE, type = c("circular", "open"))
```

Arguments

x	M x n matrix.
y	Numeric sequence of length N.
conj	Logical; if TRUE, take the complex conjugate before back-transforming. TRUE is used for usual convolution.
type	Character; one of circular, open (beginning of word is ok). For circular, the two sequences are treated as circular, i.e., periodic. For open and filter, the sequences are padded with zeros (from left and right) first; filter returns the middle sub-vector of open, namely, the result of running a weighted mean of x with weights y.

Details

This is a corrupted version of convolve made by replacing `fft` with `mvfft` in a few places. It would be nice to submit this to the R Developers for inclusion.

Value

M x n matrix

Note

This function was copied from `waveslim` to limit package dependencies.

Author(s)

Brandon Whitcher

convolve2D_typeopen *Speed-optimized version of convolve2D*

Description

Equivalent to `convolve2D(x, y, type = "open")`. The motivation for this function was that convolution is called many times in a loop from `smooth.wavelet`, always with the `type = "open"` parameter.

Usage

```
convolve2D_typeopen(x, y)
```

Arguments

`x` `M x n` matrix.
`y` Numeric sequence of length `N`.

Author(s)

Viliam Simko

See Also

[convolve2D](#)

enviro.data *Multivariate ENSO (MEI), NPGO, and PDO indices*

Description

Monthly indices of ENSO, NPGO, and PDO from 1950 to 2009

Usage

```
data(enviro.data)
```

Format

A data frame with 720 observations on the following 6 variables.

`month` a numeric vector containing the month
`year` a numeric vector containing the year
`date` a numeric vector containing the date
`mei` a numeric vector containing the MEI index
`npgo` a numeric vector containing the NPGO index
`pdo` a numeric vector containing the PDO index

Source

MEI: <https://psl.noaa.gov/enso/mei/>

NPGO: <http://www.o3d.org/nngo/>

PDO: <http://research.jisao.washington.edu/pdo/>

References

Di Lorenzo, E., N. Schneider, K. M. Cobb, P. J. S. Franks, K. Chhak, A. J. Miller, J. C. McWilliams, S. J. Bograd, H. Arango, E. Curchitser, T. M. Powell, and P. Riviere. 2008. North Pacific Gyre Oscillation links ocean climate and ecosystem change. *Geophys. Res. Lett.* 35:L08607.

Mantua, N. J., and S. R. Hare. 2002. The Pacific decadal oscillation. *Journal of Oceanography* 58:35-44.

Zhang, Y., J. M. Wallace, and D. S. Battisti. 1997. ENSO-like interdecadal variability: 1900-93. *Journal of Climate* 10:1004-1020.

Examples

```
data(enviro.data)
head(enviro.data)
```

get_minroots	<i>Helper function (not exported)</i>
--------------	---------------------------------------

Description

Helper function (not exported)

Usage

```
get_minroots(ar)
```

Arguments

ar The 'ar' part of AR(1)

Value

double

MOTHERS

Supported mother wavelets

Description

The list of supported mother wavelets is used in multiple places therefore, we provide it as a lazily evaluated promise.

Usage

MOTHERS

Format

An object of class character of length 3.

phase.plot

Plot phases with arrows

Description

Plot phases with arrows

Usage

```
phase.plot(
  x,
  y,
  phases,
  arrow.len = min(par()$pin[2]/30, par()$pin[1]/40),
  arrow.col = "black",
  arrow.lwd = arrow.len * 0.3
)
```

Arguments

x	X-coordinates
y	Y-coordinates
phases	Phases
arrow.len	Size of the arrows. Default is based on plotting region.
arrow.col	Arrow line color.
arrow.lwd	Width/thickness of arrows.

Note

Arrows pointing to the right mean that x and y are in phase.

Arrows pointing to the left mean that x and y are in anti-phase.

Arrows pointing up mean that x leads y by $\pi/2$.

Arrows pointing down mean that y leads x by $\pi/2$.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Huidong Tian provided a much better implementation of the phase.plot function that allows for more accurate phase arrows.

Original code based on WTC MATLAB package written by Aslak Grinsted.

Examples

```
# Code to help interpret arrow direction
a <- 0.5 * pi # phase difference
f <- 10
t <- 1:200
# x leads y by a = 0.5 * pi
x <- sin(t / max(t) * f * 2 * pi)
y <- sin(t / max(t) * f * 2 * pi - a)
par(mfrow = c(2, 1))
plot(t, x, t = "l")
lines(t, y, col = "red")
my_xwt <- xwt(cbind(t, x), cbind(t, y))
plot(my_xwt, plot.phase = TRUE)
# arrows pointing up indicating x leads y
```

plot.biwavelet

Plot biwavelet objects

Description

Plot biwavelet objects such as the cwt, cross-wavelet and wavelet coherence.

Usage

```
## S3 method for class 'biwavelet'
plot(
  x,
  ncol = 64,
  fill.cols = NULL,
  xlab = "Time",
  ylab = "Period",
  tol = 1,
```

```

plot.cb = FALSE,
plot.phase = FALSE,
type = "power.corr.norm",
plot.coi = TRUE,
lwd.coi = 1,
col.coi = "white",
lty.coi = 1,
alpha.coi = 0.5,
plot.sig = TRUE,
lwd.sig = 4,
col.sig = "black",
lty.sig = 1,
bw = FALSE,
legend.loc = NULL,
legend.horiz = FALSE,
arrow.len = min(par()$pin[2]/30, par()$pin[1]/40),
arrow.lwd = arrow.len * 0.3,
arrow.cutoff = 0.8,
arrow.col = "black",
xlim = NULL,
ylim = NULL,
zlim = NULL,
xaxt = "s",
yaxt = "s",
form = "%Y",
...
)

```

Arguments

x	biwavelet object generated by <code>wt</code> , <code>xwt</code> , or <code>wtc</code> .
ncol	Number of colors to use.
fill.cols	Vector of fill colors to be used. Users can specify color vectors using <code>colorRampPalette</code> or <code>brewer.pal</code> from package <code>RColorBrewer</code> . Value <code>NULL</code> generates MATLAB's jet color palette.
xlab	X-label of the figure.
ylab	Y-label of the figure.
tol	Tolerance level for significance contours. Significance contours will be drawn around all regions of the spectrum where <code>spectrum/percentile</code> \geq <code>tol</code> . If strict i^{th} percentile regions are desired, then <code>tol</code> must be set to 1.
plot.cb	Plot color bar if <code>TRUE</code> .
plot.phase	Plot phases with black arrows.
type	Type of plot to create. Can be <code>power</code> to plot the power, <code>power.corr</code> to plot the bias-corrected power, <code>power.norm</code> to plot the power normalized by the variance, <code>power.corr.norm</code> to plot the bias-corrected power normalized by the variance, <code>wavelet</code> to plot the wavelet coefficients, or <code>phase</code> to plot the phase.

plot.coi	Plot cone of influence (COI) as a semi-transparent polygon if TRUE. Areas that fall within the polygon can be affected by edge effects.
lwd.coi	Line width of COI.
col.coi	Color of COI.
lty.coi	Line type of COI. Value 1 is for solide lines.
alpha.coi	Transparency of COI. Range is 0 (full transparency) to 1 (no transparency).
plot.sig	Plot contours for significance if TRUE.
lwd.sig	Line width of significance contours.
col.sig	Color of significance contours.
lty.sig	Line type of significance contours.
bw	plot in black and white if TRUE.
legend.loc	Legend location coordinates as defined by image.plot .
legend.horiz	Plot a horizontal legend if TRUE.
arrow.len	Size of the arrows. Default is based on plotting region.
arrow.lwd	Width/thickness of arrows.
arrow.cutoff	Cutoff value for plotting phase arrows. Phase arrows will be plotted in regions where the significance of the zvalues exceeds arrow.cutoff for wt and xwt objects. For pwtc and wtc objects, phase arrows will be plotted in regions where the rsq value exceeds arrow.cutoff. If the object being plotted does not have a significance field, regions whose z-values exceed the arrow.cutoff quantile will be plotted.
arrow.col	Color of arrows.
xlim	The x limits.
ylim	The y limits.
zlim	The z limits.
xaxt	Add x-axis? Use n for none.
yaxt	Add y-axis? Use n for none.
form	Format to use to display dates on the x-axis. See Date for other valid formats.
...	Other parameters.

Details

Arrows pointing to the right mean that x and y are in phase.

Arrows pointing to the left mean that x and y are in anti-phase.

Arrows pointing up mean that x leads y by $\pi/2$.

Arrows pointing down mean that y leads x by $\pi/2$.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com) Code based on WTC MATLAB package written by Aslak Grinsted.

References

- Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.
- Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.
- Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.
- Liu, Y., X. San Liang, and R. H. Weisberg. 2007. Rectification of the Bias in the Wavelet Power Spectrum. *Journal of Atmospheric and Oceanic Technology* 24:2093-2102.

See Also

[image.plot](#)

Examples

```
t1 <- cbind(1:100, rnorm(100))
t2 <- cbind(1:100, rnorm(100))

# Continuous wavelet transform
wt.t1 <- wt(t1)

# Plot power
# Make room to the right for the color bar
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(wt.t1, plot.cb = TRUE, plot.phase = FALSE)

# Cross-wavelet transform
xwt.t1t2 <- xwt(t1, t2)

# Plot cross-wavelet
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(xwt.t1t2, plot.cb = TRUE)

# Example of bias-correction
t1 <- sin(seq(0, 2 * 5 * pi, length.out = 1000))
t2 <- sin(seq(0, 2 * 15 * pi, length.out = 1000))
t3 <- sin(seq(0, 2 * 40 * pi, length.out = 1000))

# This aggregate time series should have the same power
# at three distinct periods
s <- t1 + t2 + t3

# Compare plots to see bias-effect on CWT:
# biased power spectrum artificially
# reduces the power of higher-frequency fluctuations.
wt1 <- wt(cbind(1:1000, s))
par(mfrow = c(1,2))
plot(wt1, type = "power.corr.norm", main = "Bias-corrected")
plot(wt1, type = "power.norm", main = "Biased")
```



```
# Compare plots to see bias-effect on XWT:
# biased power spectrum artificially
# reduces the power of higher-frequency fluctuations.
x1 <- xwt(cbind(1:1000, s), cbind(1:1000, s))
par(mfrow = c(1,2))

plot(x1, type = "power.corr.norm", main = "Bias-corrected")
plot(x1, type = "power.norm", main = "Biased")
```

pwtc

Compute partial wavelet coherence

Description

Compute partial wavelet coherence between y and $x1$ by partialling out the effect of $x2$

Usage

```
pwtc(
  y,
  x1,
  x2,
  pad = TRUE,
  dj = 1/12,
  s0 = 2 * dt,
  J1 = NULL,
  max.scale = NULL,
  mother = "morlet",
  param = -1,
  lag1 = NULL,
  sig.level = 0.95,
  sig.test = 0,
  nrands = 300,
  quiet = FALSE
)
```

Arguments

- | | |
|------|---|
| y | Time series y in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values. |
| $x1$ | Time series $x1$ in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values. |
| $x2$ | Time series $x2$ whose effects should be partialled out in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values. |

pad	Pad the values will with zeros to increase the speed of the transform.
dj	Spacing between successive scales.
s0	Smallest scale of the wavelet.
J1	Number of scales - 1.
max.scale	Maximum scale. Computed automatically if left unspecified.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul. Significance testing is only available for morlet wavelet.
param	Nondimensional parameter specific to the wavelet function.
lag1	Vector containing the AR(1) coefficient of each time series.
sig.level	Significance level.
sig.test	Type of significance test. If set to 0, use a regular χ^2 test. If set to 1, then perform a time-average test. If set to 2, then do a scale-average test.
nrand	Number of Monte Carlo randomizations.
quiet	Do not display progress bar.

Value

Return a biwavelet object containing:

coi	matrix containg cone of influence
wave	matrix containing the cross-wavelet transform of y and x1
rsq	matrix of partial wavelet coherence between y and x1 (with x2 partialled out)
phase	matrix of phases between y and x1
period	vector of periods
scale	vector of scales
dt	length of a time step
t	vector of times
xaxis	vector of values used to plot xaxis
s0	smallest scale of the wavelet
dj	spacing between successive scales
y.sigma	standard deviation of y
x1.sigma	standard deviation of x1
mother	mother wavelet used
type	type of biwavelet object created (<i>pwtc</i>)
signif	matrix containg sig.level percentiles of wavelet coherence based on the Monte Carlo AR(1) time series

Note

The Monte Carlo randomizations can be extremely slow for large datasets. For instance, 1000 randomizations of a dataset consisting of 1000 samples will take ~30 minutes on a 2.66 GHz dual-core Xeon processor.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com) Code based on WTC MATLAB package written by Aslak Grinsted.

References

Aguiar-Conraria, L., and M. J. Soares. 2013. The Continuous Wavelet Transform: moving beyond uni- and bivariate analysis. *Journal of Economic Surveys* In press.

Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.

Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.

Ng, E. K. W., and J. C. L. Chan. 2012. Geophysical applications of partial wavelet coherence and multiple wavelet coherence. *Journal of Atmospheric and Oceanic Technology* 29:1845-1853.

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Examples

```

y <- cbind(1:100, rnorm(100))
x1 <- cbind(1:100, rnorm(100))
x2 <- cbind(1:100, rnorm(100))

# Partial wavelet coherence of y and x1
pwtc.yx1 <- pwtc(y, x1, x2, nrands = 0)

# Partial wavelet coherence of y and x2
pwtc.yx2 <- pwtc(y, x2, x1, nrands = 0)

# Plot partial wavelet coherence and phase difference (arrows)
# Make room to the right for the color bar
par(mfrow = c(2,1), oma = c(4, 0, 0, 1),
    mar = c(1, 4, 4, 5), mgp = c(1.5, 0.5, 0))

plot(pwtc.yx1, xlab = "", plot.cb = TRUE,
     main = "Partial wavelet coherence of y and x1 | x2")

plot(pwtc.yx2, plot.cb = TRUE,
     main = "Partial wavelet coherence of y and x2 | x1")

```

rcpp_row_quantile *Row-wise quantile of a matrix*

Description

This is a C++ speed-optimized version. It is equivalent to R version `quantile(data, q, na.rm = TRUE)`

Usage

```
rcpp_row_quantile(data, q)
```

Arguments

data	Numeric matrix whose row quantiles are wanted.
q	Probability with value in [0,1]

Value

A vector of length `nrows(data)`, where each element represents row quantile.

Author(s)

Viliam Simko

rcpp_wt_bases_dog *Optimized "wt.bases.dog" function.*

Description

This is a C++ version optimized for speed. Computes the wavelet as a function of Fourier frequency for "dog" mother wavelet.

Usage

```
rcpp_wt_bases_dog(k, scale, param = -1L)
```

Arguments

k	vector of frequencies at which to calculate the wavelet.
scale	the wavelet scale.
param	nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

Note

This c++ implementation is approx. 50

Author(s)

Viliam Simko

rcpp_wt_bases_morlet *Optimized "wt.bases.morlet" function.*

Description

This is a C++ version optimized for speed. Computes the wavelet as a function of Fourier frequency for "morlet" mother wavelet.

Usage

```
rcpp_wt_bases_morlet(k, scale, param = -1L)
```

Arguments

k	vector of frequencies at which to calculate the wavelet.
scale	the wavelet scale.
param	nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

Note

This c++ implementation is approx. 60

Author(s)

Viliam Simko

`rcpp_wt_bases_paul` *Optimized "wt.bases.paul" function.*

Description

This is a C++ version optimized for speed. Computes the wavelet as a function of Fourier frequency for "paul" mother wavelet.

Usage

```
rcpp_wt_bases_paul(k, scale, param = -1L)
```

Arguments

<code>k</code>	vector of frequencies at which to calculate the wavelet.
<code>scale</code>	the wavelet scale.
<code>param</code>	nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

<code>daughter</code>	wavelet function
<code>fourier.factor</code>	ratio of fourier period to scale
<code>coi</code>	cone of influence
<code>dof</code>	degrees of freedom for each point in wavelet power

Note

This c++ implementation is approx. 59

Author(s)

Viliam Simko

`smooth.wavelet`*Smooth wavelet in both the time and scale domains*

Description

The time smoothing uses a filter given by the absolute value of the wavelet function at each scale, normalized to have a total weight of unity, which is a Gaussian function for the Morlet wavelet. The scale smoothing is done with a boxcar function of width 0.6, which corresponds to the decorrelation scale of the Morlet wavelet.

Usage

```
smooth.wavelet(wave, dt, dj, scale)
```

Arguments

wave	wavelet coefficients
dt	size of time steps
dj	number of octaves per scale
scale	wavelet scales

Value

Returns the smoothed wavelet.

Note

This function is used internally for computing wavelet coherence. It is only appropriate for the morlet wavelet.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on WTC MATLAB package written by Aslak Grinsted.

References

Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Examples

```
# Not run: smooth.wt1 <- smooth.wavelet(wave, dt, dj, scale)
```

`wclust`*Compute dissimilarity between multiple wavelet spectra*

Description

Compute dissimilarity between multiple wavelet spectra

Usage

```
wclust(w.arr, quiet = FALSE)
```

Arguments

<code>w.arr</code>	<code>N x p x t</code> array of wavelet spectra where <code>N</code> is the number of wavelet spectra to be compared, <code>p</code> is the number of periods in each wavelet spectrum and <code>t</code> is the number of time steps in each wavelet spectrum.
<code>quiet</code>	Do not display progress bar.

Value

Returns a list containing:

<code>diss.mat</code>	square dissimilarity matrix
<code>dist.mat</code>	(lower triangular) distance matrix

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

References

Rouyer, T., J. M. Fromentin, F. Menard, B. Cazelles, K. Briand, R. Pianet, B. Planque, and N. C. Stenseth. 2008. Complex interplays among population dynamics, environmental forcing, and exploitation in fisheries. *Proceedings of the National Academy of Sciences* 105:5420-5425.

Rouyer, T., J. M. Fromentin, N. C. Stenseth, and B. Cazelles. 2008. Analysing multiple time series and extending significance testing in wavelet analysis. *Marine Ecology Progress Series* 359:11-23.

Examples

```
t1 <- cbind(1:100, sin(seq(0, 10 * 2 * pi, length.out = 100)))
t2 <- cbind(1:100, sin(seq(0, 10 * 2 * pi, length.out = 100) + 0.1 * pi))
t3 <- cbind(1:100, rnorm(100)) # white noise

## Compute wavelet spectra
wt.t1 <- wt(t1)
wt.t2 <- wt(t2)
wt.t3 <- wt(t3)
```



```
## Store all wavelet spectra into array
w.arr <- array(dim = c(3, NROW(wt.t1$wave), NCOL(wt.t1$wave)))
w.arr[1, , ] <- wt.t1$wave
w.arr[2, , ] <- wt.t2$wave
w.arr[3, , ] <- wt.t3$wave

## Compute dissimilarity and distance matrices
w.arr.dis <- wclust(w.arr)
plot(hclust(w.arr.dis$dist.mat, method = "ward.D"),
     sub = "", main = "", ylab = "Dissimilarity", hang = -1)
```

wdist

Compute dissimilarity between two wavelet spectra

Description

Compute dissimilarity between two wavelet spectra

Usage

```
wdist(wt1, wt2, cutoff = 0.99)
```

Arguments

wt1	power, wave or rsq matrix from biwavelet object generated by wt , xwt , or wtc .
wt2	power, wave or rsq matrix from biwavelet object generated by wt , xwt , or wtc .
cutoff	Cutoff value used to compute dissimilarity. Only orthogonal axes that contribute more than 1-cutoff to the total covariance between the two wavelet spectra will be used to compute their dissimilarity.

Value

Returns wavelet dissimilarity.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

References

Rouyer, T., J. M. Fromentin, F. Menard, B. Cazelles, K. Briand, R. Pianet, B. Planque, and N. C. Stenseth. 2008. Complex interplays among population dynamics, environmental forcing, and exploitation in fisheries. *Proceedings of the National Academy of Sciences* 105:5420-5425.

Rouyer, T., J. M. Fromentin, N. C. Stenseth, and B. Cazelles. 2008. Analysing multiple time series and extending significance testing in wavelet analysis. *Marine Ecology Progress Series* 359:11-23.

Examples

```

t1 <- cbind(1:100, sin(seq(0, 10 * 2 * pi, length.out = 100)))
t2 <- cbind(1:100, sin(seq(0, 10 * 2 * pi, length.out = 100) + 0.1 * pi))

# Compute wavelet spectra
wt.t1 <- wt(t1)
wt.t2 <- wt(t2)

# Compute dissimilarity
wdist(wt.t1$wave, wt.t2$wave)

```

wt *Compute wavelet transform*

Description

Compute wavelet transform

Usage

```

wt(
  d,
  pad = TRUE,
  dt = NULL,
  dj = 1/12,
  s0 = 2 * dt,
  J1 = NULL,
  max.scale = NULL,
  mother = "morlet",
  param = -1,
  lag1 = NULL,
  sig.level = 0.95,
  sig.test = 0,
  do.sig = TRUE,
  arima.method = "CSS"
)

```

Arguments

d	Time series in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
pad	Pad the values will with zeros to increase the speed of the transform.
dt	Length of a time step.
dj	Spacing between successive scales.
s0	Smallest scale of the wavelet.

J1	Number of scales - 1.
max.scale	Maximum scale. Computed automatically if left unspecified.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul.
param	Nondimensional parameter specific to the wavelet function.
lag1	AR(1) coefficient of time series used to test for significant patterns.
sig.level	Significance level.
sig.test	Type of significance test. If set to 0, use a regular χ^2 test. If set to 1, then perform a time-average test. If set to 2, then do a scale-average test.
do.sig	Perform significance testing if TRUE.
arima.method	Fitting method. This parameter is passed as the method Parameter to the arima function.

Value

Returns a `biwavelet` object containing:

coi	matrix containing cone of influence
wave	matrix containing the wavelet transform
power	matrix of power
power.corr	matrix of bias-corrected power using the method described by Liu et al. (2007)
phase	matrix of phases
period	vector of periods
scale	vector of scales
dt	length of a time step
t	vector of times
xaxis	vector of values used to plot xaxis
s0	smallest scale of the wavelet
dj	spacing between successive scales
sigma2	variance of time series
mother	mother wavelet used
type	type of <code>biwavelet</code> object created (<code>wt</code>)
signif	matrix containing significance levels

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on wavelet MATLAB program written by Christopher Torrence and Gilbert P. Compo.

References

- Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.
- Liu, Y., X. San Liang, and R. H. Weisberg. 2007. Rectification of the Bias in the Wavelet Power Spectrum. *Journal of Atmospheric and Oceanic Technology* 24:2093-2102.

Examples

```
t1 <- cbind(1:100, rnorm(100))

## Continuous wavelet transform
wt.t1 <- wt(t1)

## Plot power
## Make room to the right for the color bar
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(wt.t1, plot.cb = TRUE, plot.phase = FALSE)
```

wt.bases

*Compute wavelet***Description**

Computes the wavelet as a function of Fourier frequency.

Usage

```
wt.bases(mother = "morlet", ...)
```

Arguments

mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul.
...	See parameters k, scale and param in functions: wt.bases.morlet , wt.bases.paul and wt.bases.dog

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on wavelet MATLAB program written by Christopher Torrence and Gibert P. Compo.

References

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Examples

```
# Not run: wb <- wt.bases(mother, k, scale[a1], param)
```

wt.bases.dog	<i>Helper method (not exported)</i>
--------------	-------------------------------------

Description

Helper method (not exported)

Usage

```
wt.bases.dog(k, scale, param = -1)
```

Arguments

k	Vector of frequencies at which to calculate the wavelet.
scale	The wavelet scale.
param	Nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

wt.bases.morlet	<i>Helper method (not exported)</i>
-----------------	-------------------------------------

Description

Helper method (not exported)

Usage

```
wt.bases.morlet(k, scale, param = -1)
```

Arguments

k	Vector of frequencies at which to calculate the wavelet.
scale	The wavelet scale.
param	Nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

wt.bases.paul	<i>Helper method (not exported)</i>
---------------	-------------------------------------

Description

Helper method (not exported)

Usage

```
wt.bases.paul(k, scale, param = -1)
```

Arguments

k	Vector of frequencies at which to calculate the wavelet.
scale	The wavelet scale.
param	Nondimensional parameter specific to the wavelet function.

Value

Returns a list containing:

daughter	wavelet function
fourier.factor	ratio of fourier period to scale
coi	cone of influence
dof	degrees of freedom for each point in wavelet power

wt.sig *Determine significance of wavelet transform*

Description

Determine significance of wavelet transform

Usage

```
wt.sig(
  d,
  dt,
  scale,
  sig.test = 0,
  sig.level = 0.95,
  dof = 2,
  lag1 = NULL,
  mother = "morlet",
  param = -1,
  sigma2 = NULL,
  arima.method = "CSS"
)
```

Arguments

d	Time series in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
dt	Length of a time step.
scale	The wavelet scale.
sig.test	Type of significance test. If set to 0, use a regular χ^2 test. If set to 1, then perform a time-average test. If set to 2, then do a scale-average test.
sig.level	Significance level.
dof	Degrees of freedom for each point in wavelet power.
lag1	AR(1) coefficient of time series used to test for significant patterns.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul.
param	Nondimensional parameter specific to the wavelet function.
sigma2	Variance of time series
arima.method	Fitting method. This parameter is passed as the method Parameter to the arima function.

Value

Returns a list containing:

signif	vector containing significance level for each scale
signif	vector of red-noise spectrum for each period

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on wavelet MATLAB program written by Christopher Torrence and Gibert P. Compo.

References

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Examples

```
# Not run: wt.sig(d, dt, scale, sig.test, sig.level, lag1,
#             dof = -1, mother = "morlet", sigma2 = 1)
```

wtc

Compute wavelet coherence

Description

Compute wavelet coherence

Usage

```
wtc(
  d1,
  d2,
  pad = TRUE,
  dj = 1/12,
  s0 = 2 * dt,
  J1 = NULL,
  max.scale = NULL,
  mother = "morlet",
  param = -1,
  lag1 = NULL,
  sig.level = 0.95,
  sig.test = 0,
  nrands = 300,
  quiet = FALSE
)
```

Arguments

- d1 Time series 1 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
- d2 Time series 2 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.

pad	Pad the values will with zeros to increase the speed of the transform.
dj	Spacing between successive scales.
s0	Smallest scale of the wavelet.
J1	Number of scales - 1.
max.scale	Maximum scale. Computed automatically if left unspecified.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul.
param	Nondimensional parameter specific to the wavelet function.
lag1	Vector containing the AR(1) coefficient of each time series.
sig.level	Significance level.
sig.test	Type of significance test. If set to 0, use a regular χ^2 test. If set to 1, then perform a time-average test. If set to 2, then do a scale-average test.
nrand	Number of Monte Carlo randomizations.
quiet	Do not display progress bar.

Value

Return a `biwavelet` object containing:

coi	matrix containing cone of influence
wave	matrix containing the cross-wavelet transform
wave.corr	matrix containing the bias-corrected cross-wavelet transform using the method described by Veleda et al. (2012)
power	matrix of power
power.corr	matrix of bias-corrected cross-wavelet power using the method described by Veleda et al. (2012)
rsq	matrix of wavelet coherence
phase	matrix of phases
period	vector of periods
scale	vector of scales
dt	length of a time step
t	vector of times
xaxis	vector of values used to plot xaxis
s0	smallest scale of the wavelet
dj	spacing between successive scales
d1.sigma	standard deviation of time series 1
d2.sigma	standard deviation of time series 2
mother	mother wavelet used
type	type of <code>biwavelet</code> object created (<code>wtc</code>)
signif	matrix containing <code>sig.level</code> percentiles of wavelet coherence based on the Monte Carlo AR(1) time series

Note

The Monte Carlo randomizations can be extremely slow for large datasets. For instance, 1000 randomizations of a dataset consisting of 1000 samples will take ~30 minutes on a 2.66 GHz dual-core Xeon processor.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on WTC MATLAB package written by Aslak Grinsted.

References

Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.

Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Veleda, D., R. Montagne, and M. Araujo. 2012. Cross-Wavelet Bias Corrected by Normalizing Scales. *Journal of Atmospheric and Oceanic Technology* 29:1401-1408.

Examples

```
t1 <- cbind(1:100, rnorm(100))
t2 <- cbind(1:100, rnorm(100))

## Wavelet coherence
wtc.t1t2 <- wtc(t1, t2, nrands = 10)

## Plot wavelet coherence and phase difference (arrows)
## Make room to the right for the color bar
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(wtc.t1t2, plot.cb = TRUE, plot.phase = TRUE)
```

wtc.sig

Determine significance of wavelet coherence

Description

Determine significance of wavelet coherence

Usage

```
wtc.sig(
    nrands = 300,
    lag1,
    dt,
    ntimesteps,
    pad = TRUE,
    dj = 1/12,
    s0,
    J1,
    max.scale = NULL,
    mother = "morlet",
    sig.level = 0.95,
    quiet = FALSE
)
```

Arguments

nrands	Number of Monte Carlo randomizations.
lag1	Vector containing the AR(1) coefficient of each time series.
dt	Length of a time step.
ntimesteps	Number of time steps in time series.
pad	Pad the values will with zeros to increase the speed of the transform.
dj	Spacing between successive scales.
s0	Smallest scale of the wavelet.
J1	Number of scales - 1.
max.scale	Maximum scale.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul. Significance testing is only available for morlet wavelet.
sig.level	Significance level to compute.
quiet	Do not display progress bar.

Value

Returns significance matrix containing the sig.level percentile of wavelet coherence at each time step and scale.

Note

The Monte Carlo randomizations can be extremely slow for large datasets. For instance, 1000 randomizations of a dataset consisting of 1000 samples will take ~30 minutes on a 2.66 GHz dual-core Xeon processor.

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com)

Code based on WTC MATLAB package written by Aslak Grinsted.

References

- Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.
- Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.
- Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.
- Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Examples

```
# Not run: wtcsig <- wtc.sig(nrands, lag1 = c(d1.ar1, d2.ar1), dt,
#                               pad, dj, J1, s0, mother = "morlet")
```

wtc_sig_parallel *Parallel* [wtc.sig](#)

Description

Parallelized Monte Carlo simulation equivalent to [wtc.sig](#).

Usage

```
wtc_sig_parallel(
  nrands = 300,
  lag1,
  dt,
  ntimesteps,
  pad = TRUE,
  dj = 1/12,
  s0,
  J1,
  max.scale = NULL,
  mother = "morlet",
  sig.level = 0.95,
  quiet = TRUE
)
```

Arguments

nrands	Number of Monte Carlo randomizations.
lag1	Vector containing the AR(1) coefficient of each time series.
dt	Length of a time step.

<code>ntimesteps</code>	Number of time steps in time series.
<code>pad</code>	Pad the values will with zeros to increase the speed of the transform.
<code>dj</code>	Spacing between successive scales.
<code>s0</code>	Smallest scale of the wavelet.
<code>J1</code>	Number of scales - 1.
<code>max.scale</code>	Maximum scale.
<code>mother</code>	Type of mother wavelet function to use. Can be set to <code>morlet</code> , <code>dog</code> , or <code>paul</code> . Significance testing is only available for <code>morlet</code> wavelet.
<code>sig.level</code>	Significance level to compute.
<code>quiet</code>	Do not display progress bar.

See Also[foreach](#)[wtc.sig](#)**Examples**

```
# Not run: library(foreach)
# library(doParallel)
# cl <- makeCluster(4, outfile="") # number of cores. Notice 'outfile'
# registerDoParallel(cl)
# wtc_sig_parallel(your parameters go here)
# stopCluster(cl)
```

`xwt`*Compute cross-wavelet*

Description

Compute cross-wavelet

Usage

```
xwt(
  d1,
  d2,
  pad = TRUE,
  dj = 1/12,
  s0 = 2 * dt,
  J1 = NULL,
  max.scale = NULL,
  mother = "morlet",
  param = -1,
```

```

    lag1 = NULL,
    sig.level = 0.95,
    sig.test = 0,
    arima.method = "CSS"
)

```

Arguments

d1	Time series 1 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
d2	Time series 2 in matrix format (n rows x 2 columns). The first column should contain the time steps and the second column should contain the values.
pad	Pad the values will with zeros to increase the speed of the transform.
dj	Spacing between successive scales.
s0	Smallest scale of the wavelet.
J1	Number of scales - 1.
max.scale	Maximum scale. Computed automatically if left unspecified.
mother	Type of mother wavelet function to use. Can be set to morlet, dog, or paul. Significance testing is only available for morlet wavelet.
param	Nondimensional parameter specific to the wavelet function.
lag1	Vector containing the AR(1) coefficient of each time series.
sig.level	Significance level.
sig.test	Type of significance test. If set to 0, use a regular χ^2 test. If set to 1, then perform a time-average test. If set to 2, then do a scale-average test.
arima.method	Fitting method. This parameter is passed as the method parameter to the arima function.

Value

Returns a `biwavelet` object containing:

coi	matrix containing cone of influence
wave	matrix containing the cross-wavelet transform
wave.corr	matrix containing the bias-corrected cross-wavelet transform using the method described by Veleda et al. (2012)
power	matrix of power
power.corr	matrix of bias-corrected cross-wavelet power using the method described by Veleda et al. (2012)
phase	matrix of phases
period	vector of periods
scale	vector of scales
dt	length of a time step
t	vector of times

xaxis	vector of values used to plot xaxis
s0	smallest scale of the wavelet
dj	spacing between successive scales
d1.sigma	standard deviation of time series 1
d2.sigma	standard deviation of time series 2
mother	mother wavelet used
type	type of biwavelet object created (<code>xwt</code>)
signif	matrix containing significance levels

Author(s)

Tarik C. Gouhier (tarik.gouhier@gmail.com) Code based on WTC MATLAB package written by Aslak Grinsted.

References

Cazelles, B., M. Chavez, D. Berteaux, F. Menard, J. O. Vik, S. Jenouvrier, and N. C. Stenseth. 2008. Wavelet analysis of ecological time series. *Oecologia* 156:287-304.

Grinsted, A., J. C. Moore, and S. Jevrejeva. 2004. Application of the cross wavelet transform and wavelet coherence to geophysical time series. *Nonlinear Processes in Geophysics* 11:561-566.

Torrence, C., and G. P. Compo. 1998. A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79:61-78.

Torrence, C., and P. J. Webster. 1998. The annual cycle of persistence in the El Nino/Southern Oscillation. *Quarterly Journal of the Royal Meteorological Society* 124:1985-2004.

Veleda, D., R. Montagne, and M. Araujo. 2012. Cross-Wavelet Bias Corrected by Normalizing Scales. *Journal of Atmospheric and Oceanic Technology* 29:1401-1408.

Examples

```
t1 <- cbind(1:100, rnorm(100))
t2 <- cbind(1:100, rnorm(100))

# Compute Cross-wavelet
xwt.t1t2 <- xwt(t1, t2)
plot(xwt.t1t2, plot.cb = TRUE, plot.phase = TRUE,
     main = "Plot cross-wavelet and phase difference (arrows)")

# Real data
data(enviro.data)

# Cross-wavelet of MEI and NPGO
xwt.mei.npgo <- xwt(subset(enviro.data, select = c("date", "mei")),
                   subset(enviro.data, select = c("date", "npgo")))

# Make room to the right for the color bar
par(oma = c(0, 0, 0, 1), mar = c(5, 4, 4, 5) + 0.1)
plot(xwt.mei.npgo, plot.cb = TRUE, plot.phase = TRUE)
```

Index

- * **coherence**
 - biwavelet-package, 2
- * **cross-wavelet**
 - biwavelet-package, 2
- * **datasets**
 - MOTHERS, 12
- * **dataset**
 - enviro.data, 10
- * **wavelet**
 - biwavelet-package, 2

- ar1.spectrum, 5
- ar1_ma0_sim, 6
- arima, 27, 31, 38
- arima.sim, 6
- arrow, 6
- arrow2, 7

- biwavelet (biwavelet-package), 2
- biwavelet-package, 2
- brewer.pal, 14

- check.data, 7
- check.datum, 8
- colorRampPalette, 14
- convolve2D, 9, 10
- convolve2D_typeopen, 10

- Date, 15

- enviro.data, 10

- fft, 9
- foreach, 37

- get_minroots, 6, 11

- image.plot, 15, 16

- MOTHERS, 12
- mvfft, 9

- phase.plot, 6, 12
- plot.biwavelet, 13
- pwtc, 15, 17, 18

- RColorBrewer, 14
- rcpp_row_quantile, 20
- rcpp_wt_bases_dog, 20
- rcpp_wt_bases_morlet, 21
- rcpp_wt_bases_paul, 22

- smooth.wavelet, 10, 23

- text, 7

- wclust, 24
- wdist, 25
- wt, 14, 15, 25, 26, 27
- wt.bases, 28
- wt.bases.dog, 28, 29
- wt.bases.morlet, 28, 29
- wt.bases.paul, 28, 30
- wt.sig, 31
- wtc, 14, 15, 25, 32, 33
- wtc.sig, 34, 36, 37
- wtc_sig_parallel, 36

- xwt, 14, 15, 25, 37, 39